

Curved Profile Rectangle LED Pendant Light





Product Parameters	
Input Voltage	: AC100-277V / AC220-240V,50-60HZ
Material	: 6063 Aluminium Profile + Opal Diffuser
Profile Size	: W37*H60mm / W40*H60mm / W60*H60mm / W80*H80mm
Size Option	: 1*0.55m /1.2*0.6m /1.5*0.6m / 1.8*0.6m / 1.8*0.9m / 2.4*0.6m / 2.4*0.8m / 2.4*1.2m / 3.6*1.2m
Driver	: Constant current LED driver
Emitting Color Option	: 3000K / 4000K / 6000K / Red / Blue / Green / Yellow / Pink / RGB
Luminous Flux	: 100-110Lm/W
CRI	: >80Ra
PF	: >0.90
Flicker Free	: Yes
Beam Angle	: 120°
Function Option	: ON&OFF / 0-10V Dimming / Triac Dimming / DALI Dimming
Installation Option	: Suspension Mount / Ceiling Surface Mount / Wall Mount / Trimless Recessed Mount
Finish Color	: Black / White
IP Grade	: IP20

No.1 W37*H60mm Indirect Series	Model	Watt	Lumens	CCT	Product Size	Profile Size	Finish Color
	NL-XFCFX3760-100/55	36W	3600Lm	3000K/4000K/6000K	L1000*W550*H60mm	W37*H60mm	Black / White
	NL-XFCFX3760-120/60	54W	5400Lm	3000K/4000K/6000K	L1200*W600*H60mm	W37*H60mm	Black / White
	NL-XFCFX3760-150/60	72W	7200Lm	3000K/4000K/6000K	L1500*W600*H60mm	W37*H60mm	Black / White
	NL-XFCFX3760-180/60	90W	9000Lm	3000K/4000K/6000K	L1800*W600*H60mm	W37*H60mm	Black / White
	NL-XFCFX3760-180/90	108W	10800Lm	3000K/4000K/6000K	L1800*W900*H60mm	W37*H60mm	Black / White
	NL-XFCFX3760-240/60	120W	12000Lm	3000K/4000K/6000K	L2400*W600*H60mm	W37*H60mm	Black / White
	NL-XFCFX3760-240/80	144W	14400Lm	3000K/4000K/6000K	L2400*W800*H60mm	W37*H60mm	Black / White
	NL-XFCFX3760-240/120	180W	18000Lm	3000K/4000K/6000K	L2400*W1200*H60mm	W37*H60mm	Black / White
	NL-XFCFX3760-360/120	196W	19600Lm	3000K/4000K/6000K	L3600*W1200*H60mm	W37*H60mm	Black / White

No.2 W40*H60mm Series	Model	Watt	Lumens	CCT	Product Size	Profile Size	Finish Color
	NL-XFCFX4060-100/55	30W	3000Lm	3000K/4000K/6000K	L1000*W550*H60mm	W40*H60mm	Black / White
	NL-XFCFX4060-120/60	36W	3600Lm	3000K/4000K/6000K	L1200*W600*H60mm	W40*H60mm	Black / White
	NL-XFCFX4060-150/60	42W	4200Lm	3000K/4000K/6000K	L1500*W600*H60mm	W40*H60mm	Black / White
	NL-XFCFX4060-180/60	48W	4800Lm	3000K/4000K/6000K	L1800*W600*H60mm	W40*H60mm	Black / White
	NL-XFCFX4060-180/90	54W	5400Lm	3000K/4000K/6000K	L1800*W900*H60mm	W40*H60mm	Black / White
	NL-XFCFX4060-240/60	60W	6000Lm	3000K/4000K/6000K	L2400*W600*H60mm	W40*H60mm	Black / White
	NL-XFCFX4060-240/80	64W	6400Lm	3000K/4000K/6000K	L2400*W800*H60mm	W40*H60mm	Black / White
	NL-XFCFX4060-240/120	72W	7200Lm	3000K/4000K/6000K	L2400*W1200*H60mm	W40*H60mm	Black / White
	NL-XFCFX4060-360/120	96W	9600Lm	3000K/4000K/6000K	L3600*W1200*H60mm	W40*H60mm	Black / White


No.3 W60*H60mm Series	Model	Watt	Lumens	CCT	Product Size	Profile Size	Finish Color
	NL-XFCFX6060-100/55	60W	6000Lm	3000K/4000K/6000K	L1000*W550*H60mm	W60*H60mm	Black / White
	NL-XFCFX6060-120/60	72W	7200Lm	3000K/4000K/6000K	L1200*W600*H60mm	W60*H60mm	Black / White
	NL-XFCFX6060-150/60	84W	8400Lm	3000K/4000K/6000K	L1500*W600*H60mm	W60*H60mm	Black / White
	NL-XFCFX6060-180/60	96W	9600Lm	3000K/4000K/6000K	L1800*W600*H60mm	W60*H60mm	Black / White
	NL-XFCFX6060-180/90	108W	10800Lm	3000K/4000K/6000K	L1800*W900*H60mm	W60*H60mm	Black / White
	NL-XFCFX6060-240/60	120W	12000Lm	3000K/4000K/6000K	L2400*W600*H60mm	W60*H60mm	Black / White
	NL-XFCFX6060-240/80	128W	12800Lm	3000K/4000K/6000K	L2400*W800*H60mm	W60*H60mm	Black / White
	NL-XFCFX6060-240/120	144W	14400Lm	3000K/4000K/6000K	L2400*W1200*H60mm	W60*H60mm	Black / White
	NL-XFCFX6060-360/120	192W	19200Lm	3000K/4000K/6000K	L3600*W1200*H60mm	W60*H60mm	Black / White

No.4 W60*H80mm Series	Model	Watt	Lumens	CCT	Product Size	Profile Size	Finish Color
	NL-XFCFX6080-100/55	60W	6000Lm	3000K/4000K/6000K	L1000*W550*H80mm	W60*H80mm	Black / White
	NL-XFCFX6080-120/60	72W	7200Lm	3000K/4000K/6000K	L1200*W600*H80mm	W60*H80mm	Black / White
	NL-XFCFX6080-150/60	84W	8400Lm	3000K/4000K/6000K	L1500*W600*H80mm	W60*H80mm	Black / White
	NL-XFCFX6080-180/60	96W	9600Lm	3000K/4000K/6000K	L1800*W600*H80mm	W60*H80mm	Black / White
	NL-XFCFX6080-180/90	108W	10800Lm	3000K/4000K/6000K	L1800*W900*H80mm	W60*H80mm	Black / White
	NL-XFCFX6080-240/60	120W	12000Lm	3000K/4000K/6000K	L2400*W600*H80mm	W60*H80mm	Black / White
	NL-XFCFX6080-240/80	128W	12800Lm	3000K/4000K/6000K	L2400*W800*H80mm	W60*H80mm	Black / White
	NL-XFCFX6080-240/120	144W	14400Lm	3000K/4000K/6000K	L2400*W1200*H60mm	W60*H80mm	Black / White
	NL-XFCFX6080-360/120	192W	19200Lm	3000K/4000K/6000K	L3600*W1200*H60mm	W60*H80mm	Black / White

No.5 W80*H80mm Series	Model	Watt	Lumens	CCT	Product Size	Profile Size	Finish Color
	NL-XFCFX8080-100/55	90W	9000Lm	3000K/4000K/6000K	L1000*W550*H80mm	W80*H80mm	Black / White
	NL-XFCFX8080-120/60	108W	10800Lm	3000K/4000K/6000K	L1200*W600*H80mm	W80*H80mm	Black / White
	NL-XFCFX8080-150/60	126W	12600Lm	3000K/4000K/6000K	L1500*W600*H80mm	W80*H80mm	Black / White
	NL-XFCFX8080-180/60	144W	14400Lm	3000K/4000K/6000K	L1800*W600*H80mm	W80*H80mm	Black / White
	NL-XFCFX8080-180/90	162W	16200Lm	3000K/4000K/6000K	L1800*W900*H80mm	W80*H80mm	Black / White
	NL-XFCFX8080-240/60	180W	18000Lm	3000K/4000K/6000K	L2400*W600*H80mm	W80*H80mm	Black / White
	NL-XFCFX8080-240/80	192W	19200Lm	3000K/4000K/6000K	L2400*W800*H80mm	W80*H80mm	Black / White
	NL-XFCFX8080-240/120	216W	21600Lm	3000K/4000K/6000K	L2400*W1200*H80mm	W80*H80mm	Black / White
	NL-XFCFX8080-360/120	288W	28000Lm	3000K/4000K/6000K	L3600*W1200*H80mm	W80*H80mm	Black / White

Product Size

* Side Length : 1*0.55m / 1.2*0.6m / 1.5*0.6m / 1.8*0.6m / 1.8*0.9m / 2.4*0.6m / 2.4*0.8m / 2.4*1.2m / 3.6*1.2m
* Customized length available.



L: Rectangle length
W: Rectangle width

a: ring part
b: linear part
c: PMMA diffuser width

Feature


- * Extruded aluminium profile.
- * Clip-in opal diffuser.
- * High lumens LED board.
- * Wide-beam light distribution.
- * Range of length options, OEM available.

Control

- * ON/OFF
- * 0-10V dimming
- * Triac dimming
- * DALI dimming

Installation Method

* Suspension Mount / Ceiling Surface Mount / Wall Mount / Trimless Recessed Mount



LED Chip

- * SMD2835
- * Luminous Flux: 110Lm/W
- * CRI>80Ra (90Ra available)



Finish Color Option

- * Standard finish color: black,white.
- * Customized color: red,green,blue,pink,yellow,gold,silver





Color Temperature

- * 3000K/4000K/6000K
- * Red/ Green/Blue/Pink/Yellow available



Product Details



Application

- * Hospital,Gym,Theater,Cinema,Exhibition Hall,Museum,Video Game Room.
- * Hotel,Restaurant,Supermarket,Station,Airport,Cafe Shop,Bar,Club.
- * Living Room,Bedroom,Conference Room,Office,Corridor,Lobby,etc.

