






Direct Hollow Cute Triangle LED Pendant Light


	Product Parameters	
	Input Voltage	: AC100-277V / AC220-240V,50-60HZ
	Material	: 6063 Aluminium Profile + Opal Diffuser
	Profile Size	: W35*H35mm W40*H60mm W60*H60mm W60*H80mm W80*H80mm W100*H80mm W120*H80mm
	Side Length Option	: 600mm /900mm / 1200mm / 1500mm /1800mm / 2000mm / 2400mm / 3000mm / 3600mm
	Driver	: Constant current LED driver
	CCT	: 3000K / 4000K / 6000K / 3000-6000K Tunable
	Luminous Flux	: 100-110Lm/W
	CRI	: >80Ra
	PF	: >0.90
	Flicker Free	: Yes
	Beam Angle	: 120°
	Function Option	: ON&OFF / 0-10V / Triac / DALI DT6 / DALI DT8 / 2.4G
	Installation Option	: Suspension Mount / Ceiling Surface Mount / Wall Mount
	Finish Color	: Black / White
	IP Grade	: IP20


No.1 W35*H35mm Series	Model	Watt	Lumens	CCT	Product Size	Profile Size	Finish Color
	NL-ZSJXXF3535-600	18W	1800Lm	3000K/4000K/6000K	600*600*600mm	W35*H35mm	Black / White
	NL-ZSJXXF3535-900	27W	2700Lm	3000K/4000K/6000K	900*900*900mm	W35*H35mm	Black / White
	NL-ZSJXXF3535-1200	36W	3600Lm	3000K/4000K/6000K	1200*1200*1200mm	W35*H35mm	Black / White
	NL-ZSJXXF3535-1500	45W	4500Lm	3000K/4000K/6000K	1500*1500*1500mm	W35*H35mm	Black / White
	NL-ZSJXXF3535-1800	54W	5400Lm	3000K/4000K/6000K	1800*1800*1800mm	W35*H35mm	Black / White
	NL-ZSJXXF3535-2000	60W	6000Lm	3000K/4000K/6000K	2000*2000*2000mm	W35*H35mm	Black / White
	NL-ZSJXXF3535-2400	72W	7200Lm	3000K/4000K/6000K	2400*2400*2400mm	W35*H35mm	Black / White
	NL-ZSJXXF3535-3000	90W	9000Lm	3000K/4000K/6000K	3000*3000*3000mm	W35*H35mm	Black / White
	NL-ZSJXXF3535-3600	108W	10800Lm	3000K/4000K/6000K	3600*3600*3600mm	W35*H35mm	Black / White


No.2 W40*H60mm Series	Model	Watt	Lumens	CCT	Product Size	Profile Size	Finish Color
	NL-ZSJXXF4060-600	18W	1800Lm	3000K/4000K/6000K	600*600*600mm	W40*H60mm	Black / White
	NL-ZSJXXF4060-900	27W	2700Lm	3000K/4000K/6000K	900*900*900mm	W40*H60mm	Black / White
	NL-ZSJXXF4060-1200	36W	3600Lm	3000K/4000K/6000K	1200*1200*1200mm	W40*H60mm	Black / White
	NL-ZSJXXF4060-1500	45W	4500Lm	3000K/4000K/6000K	1500*1500*1500mm	W40*H60mm	Black / White
	NL-ZSJXXF4060-1800	54W	5400Lm	3000K/4000K/6000K	1800*1800*1800mm	W40*H60mm	Black / White
	NL-ZSJXXF4060-2000	60W	6000Lm	3000K/4000K/6000K	2000*2000*2000mm	W40*H60mm	Black / White
	NL-ZSJXXF4060-2400	72W	7200Lm	3000K/4000K/6000K	2400*2400*2400mm	W40*H60mm	Black / White
	NL-ZSJXXF4060-3000	90W	9000Lm	3000K/4000K/6000K	3000*3000*3000mm	W40*H60mm	Black / White
	NL-ZSJXXF4060-3600	108W	10800Lm	3000K/4000K/6000K	3600*3600*3600mm	W40*H60mm	Black / White

No.3 W60*H60mm Series	Model	Watt	Lumens	CCT	Product Size	Profile Size	Finish Color
	NL-ZSJXXF6060-600	36W	3600Lm	3000K/4000K/6000K	600*600*600mm	W60*H60mm	Black / White
	NL-ZSJXXF6060-900	54W	5400Lm	3000K/4000K/6000K	900*900*900mm	W60*H60mm	Black / White
	NL-ZSJXXF6060-1200	72W	7200Lm	3000K/4000K/6000K	1200*1200*1200mm	W60*H60mm	Black / White
	NL-ZSJXXF6060-1500	90W	9000Lm	3000K/4000K/6000K	1500*1500*1500mm	W60*H60mm	Black / White
	NL-ZSJXXF6060-1800	108W	10800Lm	3000K/4000K/6000K	1800*1800*1800mm	W60*H60mm	Black / White
	NL-ZSJXXF6060-2000	120W	12000Lm	3000K/4000K/6000K	2000*2000*2000mm	W60*H60mm	Black / White
	NL-ZSJXXF6060-2400	144W	14400Lm	3000K/4000K/6000K	2400*2400*2400mm	W60*H60mm	Black / White
	NL-ZSJXXF6060-3000	180W	18000Lm	3000K/4000K/6000K	3000*3000*3000mm	W60*H60mm	Black / White
	NL-ZSJXXF6060-3600	216W	21600Lm	3000K/4000K/6000K	3600*3600*3600mm	W60*H60mm	Black / White

No.4 W60*H80mm Series	Model	Watt	Lumens	CCT	Product Size	Profile Size	Finish Color
	NL-ZSJXXF6080-600	36W	3600Lm	3000K/4000K/6000K	600*600*600mm	W60*H80mm	Black / White
	NL-ZSJXXF6080-900	54W	5400Lm	3000K/4000K/6000K	900*900*900mm	W60*H80mm	Black / White
	NL-ZSJXXF6080-1200	72W	7200Lm	3000K/4000K/6000K	1200*1200*1200mm	W60*H80mm	Black / White
	NL-ZSJXXF6080-1500	90W	9000Lm	3000K/4000K/6000K	1500*1500*1500mm	W60*H80mm	Black / White
	NL-ZSJXXF6080-1800	108W	10800Lm	3000K/4000K/6000K	1800*1800*1800mm	W60*H80mm	Black / White
	NL-ZSJXXF6080-2000	120W	12000Lm	3000K/4000K/6000K	2000*2000*2000mm	W60*H80mm	Black / White
	NL-ZSJXXF6080-2400	144W	14400Lm	3000K/4000K/6000K	2400*2400*2400mm	W60*H80mm	Black / White
	NL-ZSJXXF6080-3000	180W	18000Lm	3000K/4000K/6000K	3000*3000*3000mm	W60*H80mm	Black / White
	NL-ZSJXXF6080-3600	216W	21600Lm	3000K/4000K/6000K	3600*3600*3600mm	W60*H80mm	Black / White


No.5 W80*H80mm Series	Model	Watt	Lumens	CCT	Product Size	Profile Size	Finish Color
	NL-ZSJXXF8080-600	54W	5400Lm	3000K/4000K/6000K	600*600*600mm	W80*H80mm	Black / White
	NL-ZSJXXF8080-900	81W	8100Lm	3000K/4000K/6000K	900*900*900mm	W80*H80mm	Black / White
	NL-ZSJXXF8080-1200	108W	10800Lm	3000K/4000K/6000K	1200*1200*1200mm	W80*H80mm	Black / White
	NL-ZSJXXF8080-1500	135W	13500Lm	3000K/4000K/6000K	1500*1500*1500mm	W80*H80mm	Black / White
	NL-ZSJXXF8080-1800	162W	16200Lm	3000K/4000K/6000K	1800*1800*1800mm	W80*H80mm	Black / White
	NL-ZSJXXF8080-2000	180W	18000Lm	3000K/4000K/6000K	2000*2000*2000mm	W80*H80mm	Black / White
	NL-ZSJXXF8080-2400	216W	21600Lm	3000K/4000K/6000K	2400*2400*2400mm	W80*H80mm	Black / White
	NL-ZSJXXF8080-3000	270W	27000Lm	3000K/4000K/6000K	3000*3000*3000mm	W80*H80mm	Black / White
	NL-ZSJXXF8080-3600	324W	32400Lm	3000K/4000K/6000K	3600*3600*3600mm	W80*H80mm	Black / White

No.6 W100*H80mm Series	Model	Watt	Lumens	CCT	Product Size	Profile Size	Finish Color
	NL-ZSJXXF10080-600	63W	6300Lm	3000K/4000K/6000K	600*600*600mm	W100*H80mm	Black / White
	NL-ZSJXXF10080-900	94W	9400Lm	3000K/4000K/6000K	900*900*900mm	W100*H80mm	Black / White
	NL-ZSJXXF10080-1200	126W	12600Lm	3000K/4000K/6000K	1200*1200*1200mm	W100*H80mm	Black / White
	NL-ZSJXXF10080-1500	156W	15600Lm	3000K/4000K/6000K	1500*1500*1500mm	W100*H80mm	Black / White
	NL-ZSJXXF10080-1800	188W	18800Lm	3000K/4000K/6000K	1800*1800*1800mm	W100*H80mm	Black / White
	NL-ZSJXXF10080-2000	210W	21000Lm	3000K/4000K/6000K	2000*2000*2000mm	W100*H80mm	Black / White
	NL-ZSJXXF10080-2400	252W	25200Lm	3000K/4000K/6000K	2400*2400*2400mm	W100*H80mm	Black / White
	NL-ZSJXXF10080-3000	315W	31500Lm	3000K/4000K/6000K	3000*3000*3000mm	W100*H80mm	Black / White
	NL-ZSJXXF10080-3600	378W	37800Lm	3000K/4000K/6000K	3600*3600*3600mm	W100*H80mm	Black / White

No.7 W120*H80mm Series	Model	Watt	Lumens	CCT	Product Size	Profile Size	Finish Color
	NL-ZSJXXF12080-600	72W	7200Lm	3000K/4000K/6000K	600*600*600mm	W120*H80mm	Black / White
	NL-ZSJXXF12080-900	108W	10800Lm	3000K/4000K/6000K	900*900*900mm	W120*H80mm	Black / White
	NL-ZSJXXF12080-1200	144W	14400Lm	3000K/4000K/6000K	1200*1200*1200mm	W120*H80mm	Black / White
	NL-ZSJXXF12080-1500	180W	18000Lm	3000K/4000K/6000K	1500*1500*1500mm	W120*H80mm	Black / White
	NL-ZSJXXF12080-1800	216W	21600Lm	3000K/4000K/6000K	1800*1800*1800mm	W120*H80mm	Black / White
	NL-ZSJXXF12080-2000	240W	24000Lm	3000K/4000K/6000K	2000*2000*2000mm	W120*H80mm	Black / White
	NL-ZSJXXF12080-2400	288W	28800Lm	3000K/4000K/6000K	2400*2400*2400mm	W120*H80mm	Black / White
	NL-ZSJXXF12080-3000	360W	36000Lm	3000K/4000K/6000K	3000*3000*3000mm	W120*H80mm	Black / White
	NL-ZSJXXF12080-3600	432W	43200Lm	3000K/4000K/6000K	3600*3600*3600mm	W120*H80mm	Black / White

Product Size

- * Side Length : 600mm / 900mm / 1200mm / 1500mm / 1800mm / 2000mm / 2400mm / 3000mm / 3600mm
- * Customized length available.



Feature

- * Extruded aluminium profile.
- * Clip-in opal diffuser.
- * High lumens LED board.
- * Wide-beam light distribution.
- * Range of length options, OEM available.

Control


- * ON/OFF
- * 0-10V dimming
- * Triac dimming
- * DALI dimming

Color Temperature

- * 3000K/4000K/6000K
- * Red/ Green/Blue/Pink/Yellow
- * RGBW available

Installation Method

- * Suspension Mount / Ceiling Surface Mount / Wall Mount



Application

- * Hospital, Gym, Theater, Cinema, Exhibition Hall, Museum, Video Game Room.
- * Hotel, Restaurant, Supermarket, Station, Airport, Cafe Shop, Bar, Club.
- * Living Room, Bedroom, Conference Room, Office, Corridor, Lobby, etc.

